

Anycubic Kobra 3 Combo 3D Printer

LKR 269,326.80



Anycubic Authorised Reseller

- **6-Month Warranty included** for worry-free operation.
- **Blazing Fast Printing** – Up to **600 mm/s** speed with **20,000 mm/s²**

acceleration for ultra-fast results.

- **Auto-Leveling & Smart Features** – **LeviQ 3.0** automatic bed leveling and vibration compensation for perfect prints every time.
- **High-Temp Capable** – **300°C all-metal nozzle** supports PLA, PETG, TPU, and more for versatile printing.
- **Multi-colour Printing Ready** – Compatible with **Anycubic ACE Pro** for stunning multi-material prints.

Unleash Your Creativity with the Anycubic Kobra 3 Combo

Dive into the vibrant world of 3D printing with the **Anycubic Kobra 3 Combo**. This cutting-edge printer, available at *Master3D*, offers seamless multicolor printing, allowing you to bring your most imaginative designs to life. With a spacious build volume of 250 x 250 x 260 mm, it accommodates a wide range of projects, from intricate models to substantial prototypes.

Exceptional Speed and Precision

Time is of the essence, and the Kobra 3 Combo doesn't disappoint. Boasting a maximum printing speed of 600 mm/s and acceleration up to 20,000 mm/s², it ensures rapid production without compromising quality. The integrated Accelerometer G-Sensor detects vibrations, intelligently adjusting motion control to prevent ringing issues, resulting in smooth, high-quality prints every time.

User-Friendly Features for a Hassle-Free Experience

At *Master3D*, we understand the importance of convenience in 3D printing. The Kobra 3 Combo features LeviQ 3.0 auto-leveling technology, automatically calibrating the bed for each print job, eliminating the need for manual adjustments. The full-metal nozzle heats up to 300°C, supporting various filaments like PLA, PETG, and TPU, while the quick-swap design allows for easy maintenance. Additionally, the PEI spring steel build plate ensures excellent adhesion and effortless model removal.

Key Specifications:

- **Printing Technology:** Fused Deposition Modeling (FDM)
- **Build Volume:** 250 x 250 x 260 mm

- **Maximum Printing Speed:** 600 mm/s
- **Layer Resolution:** 0.05 mm
- **Nozzle Temperature:** Up to 300°C

FAQs

1. **Q. What filaments are compatible with the Anycubic Kobra 3 Combo?**
A. The printer supports 1.75 mm filaments, including PLA, PETG, and TPU, providing versatility for various projects.
2. **Q. Does the printer have automatic bed levelling?**
A. Yes, it features LeviQ 3.0 auto-levelling technology, which automatically calibrates the bed before each print, ensuring optimal adhesion and print quality.
3. **Q. How does the printer handle power interruptions?**
A. The Kobra 3 Combo is equipped with an auto-resume function that picks up printing from where it stopped after power outages or filament shortages, ensuring a seamless printing experience.

Experience the future of 3D printing with the **Anycubic Kobra 3 Combo**, available now at *Master3D*.

Category	Specification
Printing Technology	Fused Deposition Modeling (FDM)
Build Volume	250 x 250 x 260 mm
Typical Printing Speed	300 mm/s
Maximum Printing Speed	600 mm/s
Layer Resolution	0.05 - 0.3 mm
Nozzle Diameter	0.4 mm (replaceable)
Nozzle Temperature	Up to 300°C
Extruder Type	Direct Drive Extruder
Bed Leveling	LeviQ 3.0 Automatic Bed Leveling
Print Surface	PEI Spring Steel Sheet
Max. Acceleration	20,000 mm/s ²
Filament Compatibility	PLA, ABS, PETG, TPU
Connectivity	USB, SD Card, WiFi (via Anycubic app)
User Interface	4.3-inch Touchscreen Display
Slicing Software	Anycubic Slicer, Cura, PrusaSlicer
Power Supply	350W, 100-240V, 50/60Hz

Category	Specification
Frame Material	Sturdy Metal Frame
Printer Weight	Approx. 12.5 kg
Overall Dimensions	480 x 440 x 486 mm

Disclaimer: Product dimensions and weight may vary slightly due to manual measurements. Images are for reference only; actual product may differ.